

52008

Peel ply

Ideally suited to aerospace applications

Features

- Porous, nylon peel ply.
- Heat set and scoured, for use directly against laminates or bond lines.
- Available coated and non-coated, depending on user requirement.
- Recommended for composite manufacture and metal bonding applications.
- This product is not recommended for use with phenolic resin systems.
- Manufactured by Precision Fabrics Group (PFG).

Product variants

- NAT – Scoured and heat set finish
- VLP – Very Low Porosity finish
- SRB – Super Release Blue (inert, heat stabilised, cross-linked polymer finish)
- SRP – Super Release Green (inert, heat stabilised, cross-linked polymer finish for marine)

Properties

Maximum use temperature	232°C	450°F
Colour	White, blue and green	
Fabric type	Nylon	
Fabric weight	57.6g/m ²	1.7oz/yd ²

Availability

Standard width	1.47m	58in
Standard length	274m	300yd

Slit widths available

Storage

No special storage conditions required.

Health & safety

Handling of these products must conform to individual company guidelines and health and safety regulations.

All statements, technical information and recommendations contained in this data sheet are given in good faith and are based on tests believed to be reliable, but their accuracy and completeness are not guaranteed. They do not constitute an offer to any person and shall not be deemed to form the basis of any subsequent contract. All products are sold subject to the Cytec's Standard Terms and conditions of Sale. Accordingly, the user shall determine the suitability of the products for their intended use prior to purchase and shall assume all risk and liability in connection therewith. It is the responsibility of those wishing to sell items made from or embodying the products to inform the user of the properties of the products and the purposes for which they may be suitable, together with all precautionary measures required in handling those products. The information contained herein is under constant review and liable to be modified from time to time.

© Copyright 2012 – Cytec Process Materials (Keighley) Ltd, Cytec Process Materials (CA) Inc, Cytec Process Materials (Toulouse) Sarl, Cytec Process Materials (Milan) Srl. All rights reserved worldwide. All trademarks or registered trademarks are the property of their respective owners.