

SAFETY DATA SHEET according to Regulation (EC) No 1907/2006

1. IDENTIFICATION OF THE PREPARATION AND OF THE COMPANY

1.1. Identification of the preparation:

Product Name : MASTINOX D 40 with ZincProduct identification : MASTINOX D40-ZINC

1.2. Use of the preparation:

- Sealant

1.3. Company identification:

PPG Industries (UK) Ltd 3 Darlington Road Shildon Co Durham DL4 2QP England

- Technical contact : Aerospace Laboratory

- Tel : +44 (0) 1388 772 541 - Fax : +44 (0) 1388 774 373

e-mail address : EurMsdsContact@ppg.com

1.4. Emergency telephone:

- Company emergency telephone number: +44 (0) 1388 772 541

2. HAZARDS IDENTIFICATION

- Xn N HARMFUL DANGEROUS FOR THE ENVIRONMENT
- Harmful by inhalation and if swallowed.
- Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical family: Silane or silicone

Substances presenting a health or environmental hazard within the meaning of the Dangerous Substances Directive 67/548/EC and amendments.

-1-

For the hazards of the preparation, see Section 2.

.. /..

GB Ref: 267969-2861207

SUBSTANCES CAS number EINECS / ELINCS SYMBOL and R(*) phrases of the pure substances % by Wt in the product **BARYUM CHROMATE (BA%)** 10294-40-3 233-660-5 Xn R20/22 ZINC POWDER / ZINC DUST (PYROPHORIC) 7440-66-6 231-175-3 R50/53.R15.R17 60 - < 70 % NF (*) See full text of phrases under Section 16.

4. FIRST AID MEASURES

In all cases of doubt or when symptoms persist, seek medical attention. Have Safety Data Sheet information available. Never give anything by mouth to an unconscious person.

Remove to fresh air, keep patient warm and at rest. If breathing has stopped, administer artificial respiration. Give nothing by mouth. If unconscious, place in recovery position and seek medical advice.

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart, and seek medical advice.

Skin contact:

Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognized skin cleaners. Do NOT use solvents or thinners.

If accidentally swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

5. FIRE-FIGHTING MEASURES

Extinguishing media:

- Recommended: universal resistant foam, CO2, water, powder.
- Not to be used: none in particular.

Recommendations:

- Fire will produce dense black smoke. Exposure to decomposition products may cause a Health Hazard. Fire fighters should wear self-contained breathing apparatus.
- Water mist may be used to cool closed containers to prevent pressure build-up and possible auto-ignition and explosion when exposed to extreme heat.
- Do not weld, expose to extreme heat or ignition sources, empty containers which have contained flammable products.
- Do not allow run-off from fire fighting to enter drains or water courses.

6. ACCIDENTAL RELEASE MEASURES

- Exclude sources of ignition and ventilate the area. Avoid breathing vapours by using appropriate respiratory protective equipment. Refer to protective measures listed in sections 7 & 8.
- Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in a suitable container for disposal in accordance with local regulations (see section 13). Do not allow to enter drains or watercourses.
- Clean preferably with a detergent; avoid use of solvents.
- If the product contaminates lakes, rivers or sewers, inform water authorities in accordance with local regulations.

-2-

.. /..

7. HANDLING AND STORAGE

7.1 Handling

Smoking, eating and drinking should be prohibited during handling.

- Keep containers tightly closed. Any containers which are opened should be carefully resealed.
- Avoid skin and eye contact. Avoid inhalation in case of exposure to vapour and spray mist.

Packaging materials:

- Recommended: keep preferably in original container.
- Avoid:
 - * none in particular
- Handle and open containers with care to avoid sudden ejections. Never use pressure to empty: container is not a pressure vessel. Clean or discard contaminated clothing and shoes.

7.2 Storage

Observe label precautions. Store between 0 and 35°C in a dry, clean and well ventilated place, away from sources of heat, ignition, and direct sunlight.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Engineering measures

Avoid the inhalation of vapour, spray mist and particulates. This should be achieved by the provision of local exhaust ventilation and good general extraction to keep air-borne concentration below the Occupational Exposure Limits (OEL). If these are not sufficient to comply with OEL, suitable respiratory protection must be worn.

8.2 Exposure limits

	Workplace Exposure limit (.)			
Substances	8-hr limit		. 15-minute limit	Comments
	ppm	mg/m3	ppm mg/m3	
BARYUM CHROMATE (BA%)				
` '	Cr	0.05		Carc Sen

^{(.) :} See Guidance Note EH 40, Workplace exposure limits Carc : Capable of causing cancer Sk : Can be absorbed through skin

Sen: Capable of causing occupational asthma

RD: Respirable dust : Not estimated

8.3 Personal protection

All Personal Protective Equipment, including Respiratory Protective Equipment, used to control exposure to hazardous substances must be selected to meet the requirements of the COSHH Regulations.

Respiratory protection :

Appropriate certified respiratory protective equipment should be selected according to the type of contaminants, following official and manufacturers instructions including proper fitting.

.. /..

Hand protection:

For prolonged or repeated contact, we recommend gloves type: nitrile rubber, neoprene rubber, latex rubber. Barrier creams may help to protect exposed areas of the skin. However, they should not be applied once exposure has occurred.

Eye protection:

Use safety glasses to protect against splashes.

Skin protection:

Personnel should wear protective clothing. All parts of the body should be washed after contact with the product.

Use good hygiene and industrial practices, keeping working clothes clean.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state at 20°C: Paste, viscous material
 Flash point: 250°C Method: ISO 3679

Specific gravity at 20°C : 2.1 g/cm3 Method : ISO 2811

Vapour density : > air

Lower explosion limit (vol. %): not applicable
 Upper explosion limit (vol %): not applicable
 Miscibility in water at 20°C: not miscible

- pH : not applicable

Percent volatile by weight : 0.0 by volume : 0.0

- Vapour pressure at 20°C: not applicable

10. STABILITY AND REACTIVITY

Stable under recommended storage and handling conditions (see section 7).

In case of combustion, may produce hazardous decomposition products such as:

- Carbon monoxide
- Oxides of Nitrogen
- Oxides of Chromium

11. TOXICOLOGICAL INFORMATION

There are no data available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and classified for toxicological hazards accordingly. See Sections 3 and 15 for details.

12. ECOLOGICAL INFORMATION

There is no data available on the preparation itself.

The product should not be allowed to enter drains or water courses.

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is classified for eco-toxicological properties accordingly. See Sections 3 and 15 for details.

13. DISPOSAL CONSIDERATIONS

The provisions of Council Directive 91/689/EEC and subsequent Amendments and Decisions apply to wastes from the product as supplied.

-4-

.. /..

GB Ref: 267969-2861207

Hazardous Properties: H14 Ecotoxic

Do not allow into drains or water courses.

Waste and emptied containers must be disposed in accordance with:

- Control of Pollution Act 1974,
- Special Waste Regulations 1996,
- Duty of Care Regulations 1992.

They should be recycled or disposed of through a licenced waste management facility.

14. TRANSPORT INFORMATION

- PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID N.O.S.

ADR/RID Hazard class: 9 Packaging group: III ADR hazard: 90 **UN number: 3082** Label: 9

- OACI

Hazard class: 9 Packaging group : III UN number : 3082

IATA passenger : 914 ILLI. IATA cargo : 914 ILLI. Label: MISCELLANEOUS

- IMDG

Hazard class: 9 Packaging group: III UN number : 3082

Label: 9

15. REGULATORY INFORMATION

LABEL

According to the Directive (1999/45/EC), relating to the classification packaging and labelling of dangerous substances and preparations, the product is labelled as follows:





- Xn N HARMFUL DANGEROUS FOR THE ENVIRONMENT
- CONTAINS: BARYUM CHROMATE (BA%)
- R20/22 Harmful by inhalation and if swallowed.
- R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. S46 If swallowed, seek medical advice immediately and show this container or label.

-5-

- S51 Use only in well-ventilated areas.
- S36/37 Wear suitable protective clothing and gloves.
- S61 Avoid release to the environment. Refer to special instructions/ Safety data sheets.

.. /..

16. OTHER INFORMATION

Full text of R phrases with No appearing in Section 3:

R20/22 Harmful by inhalation and if swallowed.

- R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R15 Contact with water liberates extremely flammable gases.R17 Spontaneously flammable in air.

The information contained in this data sheet is based on present scientific and technical knowledge. AS OF: 14-2-2007

The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.

- The information contained in this Safety Data Sheet is provided in accordance with the requirements of the
- Chemicals (Hazard Information and Packaging) Regulations.
 The provision of the Health and Safety at Work Act and the Control of Substances Hazardous to Health Regulations apply to the use of this product at work.

END OF SAFETY DATA SHEET

GB Ref: 267969-2861207 -6-